## NSN 3020-00-234-6801

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-234-6801

Body Style:
Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
1.0833 inches
Teeth Quantity:
52
Bore Style:
Plain both ends
Mounting Hole Thread Series Designator:
Unc transversely through hub, first end
Mounting Hole Thread Size:
0.112 inches transversely through hub, first end
Mounting Hole Type And Quantity:
2 threaded transversely through hub, first end
Outside Diameter:
1.125 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.016 inches second end
Face Width:
0.125 inches
Bore Diameter:
0.250 inches both ends
Hub Style Designator:
Plain both ends
Hub Diameter:
Hub Diameter: 0.500 inches first end
0.500 inches first end
0.500 inches first end  Material:
0.500 inches first end  Material: Steel comp 303
0.500 inches first end  Material: Steel comp 303  Material Specification:
0.500 inches first end  Material: Steel comp 303  Material Specification: Qq-s-763, cond a federal specification single material response
0.500 inches first end  Material: Steel comp 303  Material Specification: Qq-s-763, cond a federal specification single material response  Surface Treatment:
0.500 inches first end  Material: Steel comp 303  Material Specification: Qq-s-763, cond a federal specification single material response  Surface Treatment: Passivate

Protruding hubs

## NSN 3020-00-234-6801

Spur Gear - Page 2 of 2



_					
c	hο	JIF.		.ife:	
J			_	.II C.	

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300