

View Online at <https://aerobasegroup.com/nsn/3020-00-236-2503>

Counterbore Diameter:

4.251 inches

Counterbore Depth:

1.937 inches

Groove Depth:

0.875 inches

Groove Width:

0.878 inches

Outside Diameter:

10.000 inches

Overall Length:

4.687 inches

Keyway Width:

0.493 inches

Bore Length:

4.687 inches

Distance From Center Of Bore To Bottom Of Keyway:

1.792 inches

V Groove Angle In Deg:

38.0

Pitch Diameter:

9.125 inches

Taper Bore Major Diameter:

3.124 inches

Taper Bore Minor Diameter:

3.000 inches

Material And Location:

Iron, cast

Face Width:

2.125 inches

Design Form:

Plain

Bore Type:

Tapered

Bearings:

Not included

Taper Major Diameter Location:

Aa end

Groove Quantity:

2

Counterbore Feature:

Included

Counterbore Location:

Bb end

Keying Facility:

Included

Keying Facility Type:

Integral key

Split Hub Feature:

Not included

Lightening Hole:

Included

Integral Cooling Vane:

Not included

Groove Shape:

V

Bore Feature:

Included

Protruding Hub Characteristic:

Stepped

Hub End Outside Diameter And Location:

4.468 inches aa end

Distance From Outside Flange/rim To Hub End And Location:

2.562 inches aa end

First Step Face Largest Diameter And Location:

4.622 inches aa end

Second Step Face Largest Diameter And Location:

7.000 inches aa end

First Step Length And Location:

1.437 inches aa end

Second Step Length And Location:

0.375 inches aa end

Third Step Length And Location:

0.750 inches aa end

Hub End Outside Diameter And Location:

4.468 inches aa end

Quantity:

1

Style Designator:

Plain

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

T353-a