NSN 3020-00-238-7910

Sprocket Wheel - Page 1 of 2

Outside Diameter:



View Online at https://aerobasegroup.com/nsn/3020-00-238-7910

9.062 inches
Overall Length:
0.906 inches
Bolt Circle Diameter:
5.625 inches
Bore Diameter:
Between 4.625 inches and 4.629 inches
Bore Length:
0.906 inches
Drilled Hole Diameter:
0.531 inches
Pitch Diameter:
8.480 inches
Securing Hole Quantity:
6
Face Width:
0.812 inches
Design Form:
Plain
Bore Type:
Straight
Counterbore Feature:
Not included
Hole Location:
Through hub equally spaced
Keying Facility:
Not included
Securing Method:
Drilled hole
Lightening Hole:
Not included
Protruding Hub Characteristic:
Plain
Securing Location:
Aa end
Belt/chain/film Size For Which Designed:
Roller chain
Roller Chain Pitch Type For Which Designed:
Single pitch
Teeth Row Quantity:

NSN 3020-00-238-7910 Sprocket Wheel - Page 2 of 2



Teeth Quantity Per Row:	
16	
Hardness Rating Test Method:	
Not rated	
Bore Bearing:	
Not included	
Hub External Keyway:	
Not included	
Tooth Pitch:	
1.654 inches	
Hub End Outside Diameter And Location:	
6.750 inches aa end	
Distance From Outside Flange/rim To Hub End And Location:	
0.094 inches aa end	
Material:	
Steel, aisi 1040 or steel, sae 1040	
Material:	
Steel comp 1040 or steel comp 1040	
Material Specification:	
Aisi 1040 assn standard 1st material response and sae 1040 assn standard 2nd material response	
Style Designator:	
Plain	
Shelf Life:	
N/a	
Unit Of Measure:	
	
Demilitarization:	
No	
Fiig:	
T353-c	