NSN 3020-00-244-1736

Internal Gear Sector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-244-1736 **Teeth Quantity:** 13 **Bore Style:** Partial second end Pitch Radius: 1.7500 inches Nominallength: 1.380 inches **Teeth Type:** Spur **Pressure Angle:** 20.0000 degrees Distance Between Body Face And Protruding Hub End: 0.620 inches first end **Face Width:** 0.320 inches **Bore Diameter:** 0.620 inches second end **Bore Depth:** 0.800 inches second end **Hub Style Designator:** 1 step both ends **Outside Radius:** 1.910 inches **End Length:** 0.510 inches first end **End Diameter:** 0.9998 inches second end First Step Length: 0.840 inches first end First Step Diameter: 1.800 inches second end Arc Length: 1.0634 inches Material: Stainless steel **Material Specification:** Ams 5643, cond a, 17-4ph assn standard single material response **Surface Treatment: Passivate**

Style Designator:

Protruding hubs

NSN 3020-00-244-1736

Internal Gear Sector - Page 2 of 2



	L -	16		ife	_
3	ne	п	_	пе	Ξ

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A27300