NSN 3020-00-251-1032

Spur Gear - Page 1 of 2

Attachment Method:

Mounting hole



View Online at https://aerobasegroup.com/nsn/3020-00-251-1032

Pitch Diameter:
18.3330 inches
Teeth Quantity:
55
Bore Style:
W/ 4 keyways both ends
Mounting Hole Thread Series Designator:
Unc transversely through hub, first end
Mounting Hole Thready Qty Per Inch (tpi):
13 transversely through hub, first end
Hardness Rating:
400.0 rockwell c
Mounting Hole Thread Size:
0.500 inches axially through body, second end
Mounting Hole Type And Quantity:
1 threaded transversely through hub, first end
Outside Diameter:
18.870 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Face Width:
5.000 inches
Bore Diameter:
4.938 inches both ends
Keyway Width:
0.751 inches both ends
Distance From Bore Center To Keyway Bottom:
2.786 inches both ends
Hub Style Designator:
2 grooves first end
Hub Diameter:
8.000 inches first end
Precision Classification:
Quality number 12
Material:
Steel
Material Specification:
Mil-s-890, class b military specification single material response

NSN 3020-00-251-1032

Spur Gear - Page 2 of 2



Style Designator:
Flush hub
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

Mil-std (military Standard):

Mil-s-890 spec.