

View Online at <https://aerobasegroup.com/nsn/3020-00-251-7981>

Groove Depth:

0.6925 inches

Groove Width:

0.678 inches

Outside Diameter:

Between 5.716 inches and 5.732 inches

Overall Length:

3.813 inches

Bolt Circle Diameter:

2.250 inches

Bore Diameter:

Between 1.2505 inches and 1.2515 inches

Bore Length:

0.750 inches

Drilled Hole Diameter:

0.34375 inches

V Groove Angle In Deg:

36.0

Pitch Diameter:

5.094 inches

Securing Hole Quantity:

4

Material And Location:

Iron, g-13m, general motors corporation

Face Width:

1.750 inches

Design Form:

Webbed

Bore Type:

Straight

Bearings:

Not included

Groove Quantity:

2

Counterbore Feature:

Not included

Hole Location:

On hub

Keying Facility:

Not included

Securing Method:

Drilled hole

Split Hub Feature:

Not included

Web/spoke Relationship To Face Centerline:

Offset

Lightening Hole:

Not included

Integral Cooling Vane:

Not included

Groove Shape:

V

Bore Feature:

Included

Protruding Hub Characteristic:

Stepped

Securing Location:

Aa end

Hub End Outside Diameter And Location:

3.125 inches both ends

Distance From Outside Flange/rim To Hub End And Location:

2.063 inches both ends

First Step Face Largest Diameter And Location:

4.156 inches both ends

First Step Length And Location:

0.813 inches both ends

Style Designator:

Webbed or spoked

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T353-a