## NSN 3020-00-252-0105

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-252-0105

Body Style:				
Plain, solid				
Attachment Method:				
Mounting hole				
Pitch Diameter:				
0.9990 inches				
Teeth Quantity:				
40				
Bore Style:				
Plain both ends				
Mounting Hole Thread Series Designator:				
Unf axially through hub, first end				
Mounting Hole Thready Qty Per Inch (tpi):				
64 axially through hub, first end				
Mounting Hole Thread Size:				
0.086 inches axially through body, second end				
Mounting Hole Type And Quantity:				
4 threaded axially through hub, first end				
Outside Diameter:				
1.050 inches				
Nominallength:				
0.450 inches				
Tooth Form:				
Standard				
Pressure Angle:				
14.5000 degrees				
Distance Between Body Face And Protruding Hub End:				
0.340 inches first end				
Face Width:				
0.100 inches				
Bore Diameter:				
0.394 inches both ends				
Hub Style Designator:				
Plain both ends				
Hub Diameter:				
0.749 inches first end				
Precision Classification:				
Quality number 10 or quality number 11				
Bolt Hole Circle Diameter:				
0.590 inches axially through hub, first end				
Material:				
Copper alloy				

## NSN 3020-00-252-0105

Spur Gear - Page 2 of 2



Ctv/la	n Da	eian	ator:
OLYN	- 00	əiyii	atoi.

Protruding hubs

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300