## NSN 3020-00-253-2008

Protruding hub



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-253-2008 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 1.9530 inches **Teeth Quantity:** 125 **Bore Style:** Plain both ends **Mounting Hole Type And Quantity:** 2 plain axially through body, first end **Outside Diameter:** 1.9830 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.218 inches first end **Face Width:** 0.125 inches **Bore Diameter:** 0.187 inches both ends **Hub Style Designator:** Plain first end **Hub Diameter:** 0.375 inches first end **Mounting Hole Diameter:** 0.1250 inches axially through body, first end **Bolt Hole Circle Diameter:** 0.3660 inches axially through body, first end **Special Features:** 1 0.112 in. Diameter threaded hole on hub for positioning Material: Steel comp 303 **Material Specification:** Qq-s-764, type 303, cond a federal specification single material response **Surface Treatment: Passivate Style Designator:** 



## NSN 3020-00-253-2008

Spur Gear - Page 2 of 2



Furnished Items And Quantity:
1 setscrew
Shelf Life:
N/a

Unit Of Measure:

**Demilitarization:** No

A27300

Fiig: