NSN 3020-00-257-5249

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-257-5249

Body Style:
Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
2.5000 inches
Teeth Quantity:
80
Bore Style:
Plain both ends
Mounting Hole Thread Series Designator:
Unc transversely through hub, first end
Mounting Hole Thready Qty Per Inch (tpi):
32 transversely through hub, first end
Mounting Hole Thread Size:
0.164 inches transversely through hub, first end
Mounting Hole Type And Quantity:
2 threaded transversely through hub, first end
Outside Diameter:
2.562 inches
Nominallength:
0.440 inches
0.440 inches Tooth Form:
Tooth Form:
Tooth Form: Standard
Tooth Form: Standard Pressure Angle:
Tooth Form: Standard Pressure Angle: 14.5000 degrees
Tooth Form: Standard Pressure Angle: 14.5000 degrees Distance Between Body Face And Protruding Hub End:
Tooth Form: Standard Pressure Angle: 14.5000 degrees Distance Between Body Face And Protruding Hub End: 0.375 inches first end
Tooth Form: Standard Pressure Angle: 14.5000 degrees Distance Between Body Face And Protruding Hub End: 0.375 inches first end Face Width:
Tooth Form: Standard Pressure Angle: 14.5000 degrees Distance Between Body Face And Protruding Hub End: 0.375 inches first end Face Width: 0.065 inches
Tooth Form: Standard Pressure Angle: 14.5000 degrees Distance Between Body Face And Protruding Hub End: 0.375 inches first end Face Width: 0.065 inches Bore Diameter:
Tooth Form: Standard Pressure Angle: 14.5000 degrees Distance Between Body Face And Protruding Hub End: 0.375 inches first end Face Width: 0.065 inches Bore Diameter: 0.376 inches both ends
Tooth Form: Standard Pressure Angle: 14.5000 degrees Distance Between Body Face And Protruding Hub End: 0.375 inches first end Face Width: 0.065 inches Bore Diameter: 0.376 inches both ends Hub Style Designator:
Tooth Form: Standard Pressure Angle: 14.5000 degrees Distance Between Body Face And Protruding Hub End: 0.375 inches first end Face Width: 0.065 inches Bore Diameter: 0.376 inches both ends Hub Style Designator: Pinned first end
Tooth Form: Standard Pressure Angle: 14.5000 degrees Distance Between Body Face And Protruding Hub End: 0.375 inches first end Face Width: 0.065 inches Bore Diameter: 0.376 inches both ends Hub Style Designator: Pinned first end Hub Diameter:
Tooth Form: Standard Pressure Angle: 14.5000 degrees Distance Between Body Face And Protruding Hub End: 0.375 inches first end Face Width: 0.065 inches Bore Diameter: 0.376 inches both ends Hub Style Designator: Pinned first end Hub Diameter: 0.625 inches first end
Tooth Form: Standard Pressure Angle: 14.5000 degrees Distance Between Body Face And Protruding Hub End: 0.375 inches first end Face Width: 0.065 inches Bore Diameter: 0.376 inches both ends Hub Style Designator: Pinned first end Hub Diameter: 0.625 inches first end Material:
Tooth Form: Standard Pressure Angle: 14.5000 degrees Distance Between Body Face And Protruding Hub End: 0.375 inches first end Face Width: 0.065 inches Bore Diameter: 0.376 inches both ends Hub Style Designator: Pinned first end Hub Diameter: 0.625 inches first end Material: Copper alloy

N/a

NSN 3020-00-257-5249 Spur Gear - Page 2 of 2



	Of			

Demilitarization:

No

Fiig:

A27300