## NSN 3020-00-262-6923

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-262-6923

Body Style:
Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
1.9375 inches
Teeth Quantity:
93
Bore Style:
Plain both ends
Mounting Hole Thread Series Designator:
Unc transversely through hub, first end
Mounting Hole Thready Qty Per Inch (tpi):
32 transversely through hub, first end
Hardness Rating:
24.0 rockwell c and 30.0 rockwell c
Mounting Hole Thread Size:
0.138 inches transversely through hub, first end
Mounting Hole Type And Quantity:
1 threaded transversely through hub, first end
Outside Diameter:
1.971 inches
Nominallength:
0.625 inches
Tooth Form:
Standard
Pressure Angle:
14.5000 degrees
Distance Between Body Face And Protruding Hub End:
0.438 inches first end
Face Width:
0.187 inches
Bore Diameter:
0.374 inches both ends
Hub Style Designator:
Pinned first end
Hub Diameter:
0.625 inches first end
Material:
Steel
Material Specification:

Mil-s-890, alloy 3 military specification single material response

## NSN 3020-00-262-6923

Spur Gear - Page 2 of 2

Surface Treatment:

Oxide

Style Designator:

Protruding hub

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-s-890 spec.

