## NSN 3020-00-270-8388

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-270-8388

Body Style:
Webbed, offset, solid
Pitch Diameter:
5.8466 inches
Teeth Quantity:
54
Bore Style:
W/ keyway both ends
Hardness Rating:
4.0 rockwell c and 16.0 rockwell c hub
Outside Diameter:
6.0357 inches
Tooth Form:
Standard
Pressure Angle:
14.5000 degrees
Distance Between Body Face And Protruding Hub End:
0.3750 inches second end
Distance Between Body Face And Recessed Hub End:
0.6250 inches first end
Face Width:
0.6250 inches
Bore Diameter:
0.9835 inches both ends
Keyway Width:
0.1583 inches both ends
Distance From Bore Center To Keyway Bottom:
0.5728 inches both ends
Hub Style Designator:
Plain both ends
Hub Diameter:
1.7485 inches second end
Special Features:
2 0.625 in. Diameter threaded puller holes on centerline of keyway 180.0 degrees apart on 3.125 in. Diameter bolt circle; timing mark
located on centerline of teeth in vertical centerline of keyway
Material:
Steel comp 1035
Material Specification:
66 federal standard single material response and aisi/sae 1035 assn standard single material response
Style Designator:
Bell shape body, protruding hub, recessed hub
Shelf Life:

N/a

## NSN 3020-00-270-8388

Spur Gear - Page 2 of 2



	Of			

--

Demilitarization:

No

Fiig:

A27300