## NSN 3020-00-275-0937



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-275-0937 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: Between 0.6865 inches and 0.6875 inches **Teeth Quantity:** 22 **Bore Style:** Plain both ends **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 32 transversely through hub, first end **Mounting Hole Thread Size:** 0.138 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 1 threaded transversely through hub, first end **Outside Diameter:** 0.750 inches Nominallength: 0.406 inches **Tooth Form:** Standard **Pressure Angle:** 14.5000 degrees **Distance Between Body Face And Protruding Hub End:** 0.231 inches first end **Face Width:** 0.175 inches **Bore Diameter:** 0.250 inches both ends **Hub Style Designator:** Plain first end **Hub Diameter:** 0.438 inches first end Material: Copper alloy 865

**Material Specification:** 

Mil-b-16443, class 1 military specification single material response

**Style Designator:** 

Protruding hub

## NSN 3020-00-275-0937

Spur Gear - Page 2 of 2



N/a	
Unit Of Measure:	
Demilitarization:	
No	
Fiig:	
A27300	

Shelf Life:

Mil-std (military Standard):

Mil-b-16443 spec.