

View Online at <https://aerobasegroup.com/nsn/3020-00-278-7602>

Outside Diameter:

3.438 inches

Overall Length:

0.938 inches

Key Width:

0.250 inches

Bore Diameter:

1.500 inches

Bore Length:

0.938 inches

Distance From Center Of Bore To Bottom Of Keyway:

0.875 inches

Drilled Hole Diameter:

0.125 inches

Pitch Diameter:

3.196 inches

Securing Hole Quantity:

1

Face Width:

0.281 inches

Guide:

Not included

Design Form:

Plain

Bore Type:

Straight

Metallic Hardness Rating And Location:

35.0 rockwell c hub and 45.0 rockwell c hub

Counterbore Feature:

Not included

Hole Location:

180 degrees from keyway

Keying Facility:

Included

Keying Facility Type:

Keyway

Securing Method:

Drilled hole

Lightening Hole:

Not included

Protruding Hub Characteristic:

Plain

Securing Location:

Aa end

Belt/chain/film Size For Which Designed:

Roller chain

Roller Chain Pitch Type For Which Designed:

Single pitch

Teeth Row Quantity:

1

Teeth Quantity Per Row:

20

Asa Standard Chain Number:

40

Hardness Rating Test Method:

Rockwell

Teeth Hardness Rating:

Between 35.0 rockwell c and 45.0 rockwell c

Bore Bearing:

Not included

Hub External Keyway:

Not included

Tooth Pitch:

0.500 inches

Hub End Outside Diameter And Location:

2.625 inches both ends

Distance From Outside Flange/rim To Hub End And Location:

0.438 inches aa end and 0.219 inches bb end

Material:

Steel, qq-s-633, fsb1113-canceled

Material:

Steel comp 1213

Material Specification:

Qq-s-633, fsb1113-canceled federal specification single material response

Quantity:

1

Style Designator:

Plain

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T353-c