NSN 3020-00-287-2560

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-287-2560

Body Style: Webbed, with lightening holes **Spline Quantity:** 29 both ends Pitch Diameter: 15.2500 inches **Teeth Quantity:** 61 **Bore Style:** Involute spline both ends **Spline Pitch Diameter:** 3.6250 inches both ends **Hardness Rating:** 58.0 rockwell c and 63.0 rockwell c **Outside Diameter:** 15.587 inches Nominallength: 4.062 inches **Tooth Form:** Standard **Pressure Angle:** 25.5361 degrees Distance Between Body Face And Protruding Hub End: 0.563 inches first end Distance Between Body Face And Recessed Hub End: 0.500 inches second end **Face Width:** 3.500 inches **Bore Diameter:** 3.752 inches both ends **Hub Style Designator:** Plain both ends **Hub Diameter:** 4.875 inches first end **Special Features:** Spline minor nom. Dia. 3.520 in. Material:

Steel comp ts8625

Material Specification:

Mil-s-16974, gr ts8625 military specification single material response

Style Designator:

One protruding hub, one recessed hub

NSN 3020-00-287-2560

Spur Gear - Page 2 of 2



| Shelf Life: |
|-------------------|
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A27300 |

Mil-std (military Standard):

Mil-s-16974 spec.