NSN 3020-00-287-7571



Sprocket Wheel - Page 1 of 3 View Online at https://aerobasegroup.com/nsn/3020-00-287-7571 **Outside Diameter:** 2.656 inches **Overall Length:** 0.844 inches **Keyway Width:** 0.188 inches **Thread Size:** A/a **Bore Diameter:** 0.752 inches **Bore Length:** 0.844 inches **Distance From Center Of Bore To Bottom Of Keyway:** 0.469 inches **Pitch Diameter:** 2.313 inches **Securing Hole Quantity:** Face Width: 0.156 inches Guide: Not included **Design Form:** Plain **Bore Type:** Straight **Metallic Hardness Rating And Location:** 50.0 rockwell c body **Counterbore Feature:** Not included **Hole Location:** 180 degrees from keyway **Keying Facility:** Included **Keying Facility Type:** Keyway **Securing Method:** Threaded hole **Lightening Hole:** Not included

Protruding Hub Characteristic:

Plain

NSN 3020-00-287-7571

Sprocket Wheel - Page 2 of 3



Securing Location:
Aa end
Belt/chain/film Size For Which Designed:
Roller chain
Roller Chain Pitch Type For Which Designed:
Single pitch
Teeth Row Quantity:
1
Teeth Quantity Per Row:
19
Asa Standard Chain Number:
35
Hardness Rating Test Method:
Rockwell
Teeth Hardness Rating:
50.0 rockwell c
Bore Bearing:
Not included
Hub External Keyway:
Not included
Tooth Pitch:
0.375 inches
Hub End Outside Diameter And Location:
1.719 inches aa end and 1.531 inches bb end
Distance From Outside Flange/rim To Hub End And Location:
0.641 inches aa end and 0.031 inches bb end
Material:
Steel
Material:
Steel
Quantity:
1
Surface Treatment:
Cadmium
Style Designator:
Plain
Surface Treatment:
Cadmium plated
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:

No

NSN 3020-00-287-7571 Sprocket Wheel - Page 3 of 3



Fiig:

Т353-с