NSN 3020-00-287-7580

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-287-7580

Body Style:
Plain, with lightening holes
Attachment Method:
Mounting hole
Pitch Diameter:
3.7500 inches
Teeth Quantity:
120
Bore Style:
W/counterbore both ends
Backlash Designation:
Grade b
Mounting Hole Type And Quantity:
4 plain axially through body, first end
Outside Diameter:
3.812 inches
Nominallength:
0.188 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.094 inches first end
Face Width:
0.094 inches
Bore Diameter:
2.000 inches both ends
Counterbore Depth:
0.094 inches first end
Counterbore Diameter:
3.279 inches first end
Hub Style Designator:
Plain first end
Hub Diameter:
3.562 inches first end
Precision Classification:
Quality number 6
Mounting Hole Diameter:
0.137 inches axially through body, first end
Bolt Hole Circle Diameter:
2.500 inches axially through body, first end

NSN 3020-00-287-7580

Spur Gear - Page 2 of 2

A27300

Mil-p-3115 spec.

Mil-std (military Standard):



Material:
Plastic phenolic
Material Specification:
Mil-p-3115, ty pbg military specification single material response
Style Designator:
Protruding hub
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig: