## NSN 3020-00-287-7591

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-287-7591 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 0.3950 inches **Teeth Quantity:** 19 **Bore Style:** Plain both ends **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 56 transversely through hub, first end **Mounting Hole Thread Size:** 0.086 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 1 plain transversely through hub, first end and 1 threaded transversely through hub, first end **Outside Diameter:** 0.441 inches Nominallength: 0.430 inches **Tooth Form:** Standard **Pressure Angle:** 14.5000 degrees **Distance Between Body Face And Protruding Hub End:** 0.250 inches first end **Face Width:** 0.188 inches **Bore Diameter:** 0.250 inches both ends **Hub Style Designator:** Pinned first end **Hub Diameter:** 0.340 inches first end **Mounting Hole Diameter:** 

Material:

Steel comp 303

**Material Specification:** 

Qq-s-763, class 7, type a federal specification single material response

0.062 inches transversely through hub, first end

## NSN 3020-00-287-7591

Spur Gear - Page 2 of 2



•	_		
Style	D)es	sıan	ator:
,		J. 9.	

Protruding hub

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300