## NSN 3020-00-287-8679

Sprocket Wheel - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-287-8679

Counterbore Diameter:
2.625 inches
Counterbore Depth:
0.063 inches
Outside Diameter:
Between 8.220 inches and 8.225 inches
Overall Length:
2.281 inches
Bore Diameter:
Between 1.755 inches and 1.758 inches
Bore Length:
2.281 inches
Drilled Hole Diameter:
Between 0.625 inches and 0.626 inches
Pitch Diameter:
7.661 inches
Securing Hole Quantity:
2
Face Width:
0.563 inches
Design Form:
Plain
Bore Type:
Straight
Counterbore Feature:
Included
Counterbore Location:
Bb end
Hole Location:
On hub, 180 degrees apart, 47/64 in. From hub end to center of holes
Keying Facility:
Not included
Securing Method:
Drilled hole
Lightening Hole:
Not included
Protruding Hub Characteristic:
Plain
Securing Location:
Aa end
Belt/chain/film Size For Which Designed:

Roller chain

## **NSN 3020-00-287-8679** Sprocket Wheel - Page 2 of 2



Roller Chain Pitch Type For Which Designed:
Single pitch
Teeth Row Quantity:
1
Teeth Quantity Per Row:
24
Asa Standard Chain Number:
80
Hardness Rating Test Method:
Not rated
Bore Bearing:
Not included
Hub External Keyway:
Not included
Tooth Pitch:
1.000 inches
Hub End Outside Diameter And Location:
3.250 inches aa end
Distance From Outside Flange/rim To Hub End And Location:
1.719 inches aa end
Material:
Steel, qq-s-633, fs1035-canceled
Material:
Steel comp 1035
Material Specification:
Qq-s-633, fs1035-canceled federal specification single material response
Style Designator:
Plain
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T353-c