## NSN 3020-00-288-5825

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-288-5825

Body Style:
Plain, with lightening holes
Attachment Method:
Mounting hole
Pitch Diameter:
2.3750 inches
Teeth Quantity:
114
Bore Style:
W/counterbore both ends
Backlash Designation:
Grade c
Mounting Hole Type And Quantity:
2 plain axially through body, first end
Outside Diameter:
2.416 inches
Nominallength:
0.635 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.528 inches first end
Face Width:
0.109 inches
Bore Diameter:
0.250 inches both ends
Counterbore Depth:
0.215 inches both ends
Counterbore Diameter:
0.830 inches both ends
Hub Style Designator:
1 groove first end
End Diameter:
1.562 inches first end
First Groove Width:
0.419 inches first end
First Groove Diameter:
1.062 inches first end
Distance From End To First Groove:

0.107 inches first end

## NSN 3020-00-288-5825

Spur Gear - Page 2 of 2



Mounting Hole Diameter:	
0.187 inches axially through body,	first end

**Bolt Hole Circle Diameter:** 

1.208 inches axially through body, first end

Material:

Copper alloy 360

**Material Specification:** 

Qq-b-611, comp b, 1/2h federal specification single material response

**Surface Treatment:** 

Chromate

Style Designator:

Protruding hub

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300