NSN 3020-00-289-7777

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-289-7777 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 0.6250 inches **Teeth Quantity:** 20 **Bore Style:** W/counterbore both ends **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 40 transversely through hub, first end **Hardness Rating:** 28.0 rockwell c and 32.0 rockwell c **Mounting Hole Thread Size:** 0.112 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 1 threaded transversely through hub, first end **Outside Diameter:** 0.687 inches **Tooth Form:** Standard Flange Diameter: 1.437 inches **Pressure Angle:** 20.0000 degrees Flange Thickness: 0.250 inches **Face Width:** 0.188 inches **Bore Diameter:** 0.250 inches both ends **Distance Between Outer Body Face And Inner Flange Face:** 3.750 inches **Counterbore Depth:** 0.156 inches second end **Counterbore Diameter:**

0.812 inches first end

Hub Diameter:

0.438 inches between body and flange

NSN 3020-00-289-7777

Spur Gear - Page 2 of 2



Special Features:
0.4375 in. Od, 0.125 in.Lg of hub
Material:
Stainless steel
Surface Treatment:
Passivate
Style Designator:
Flanged end
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A27300