

View Online at <https://aerobasegroup.com/nsn/3020-00-289-7929>

**Outside Diameter:**

11.718 inches

**Overall Length:**

1.875 inches

**Keyway Width:**

Between 0.499 inches and 0.500 inches

**Bore Diameter:**

Between 2.1660 inches and 2.1665 inches

**Bore Length:**

1.875 inches

**Distance From Center Of Bore To Bottom Of Keyway:**

1.333 inches

**Pitch Diameter:**

11.156 inches

**Face Width:**

Between 1.770 inches and 1.798 inches

**Design Form:**

Webbed

**Bore Type:**

Straight

**Counterbore Feature:**

Not included

**Keying Facility:**

Included

**Keying Facility Type:**

Keyway

**Lightening Hole:**

Not included

**Belt/chain/film Size For Which Designed:**

Roller chain

**Roller Chain Pitch Type For Which Designed:**

Single pitch

**Teeth Row Quantity:**

2

**Center To Center Distance Between Teeth Rows:**

1.153 inches

**Teeth Quantity Per Row:**

35

**Asa Standard Chain Number:**

80-2

**Hardness Rating Test Method:**

Not rated

**Bore Bearing:**

Not included

**Hub External Keyway:**

Not included

**Tooth Pitch:**

1.000 inches

**Hub End Outside Diameter And Location:**

3.625 inches both ends

**Distance From Outside Flange/rim To Hub End And Location:**

0.143 inches aa end and 0.153 inches aa end and 0.023 inches bb end

**Special Features:**

2 holes 0.750 in. Diameter 180 degrees apart on 7.375 in. Diameter bolt circle, one hole located on top of keyway

**Material:**

Steel, mil-s-16788

**Material:**

Steel comp 1010 or steel comp 1020 or steel comp 1030 or steel comp 1040 or steel comp 1050 or steel comp 1060 or steel comp 1080 or steel comp 1095

**Material Specification:**

Mil-s-16788 military specification single material response

**Quantity:**

1

**Style Designator:**

Webbed or spoked

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

T353-c

**Mil-std (military Standard):**

Mil-s-16788 spec.