NSN 3020-00-294-4642

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-294-4642
Body Style:
Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
Between 1.3110 inches and 1.3120 inches
Teeth Quantity:
53
Bore Style:
Plain both ends
Mounting Hole Thread Series Designator:
Unc transversely through hub, first end
Mounting Hole Thready Qty Per Inch (tpi):
32 transversely through hub, first end
Hardness Rating:
60.0 rockwell b and 90.0 rockwell b
Mounting Hole Thread Size:
0.138 inches transversely through hub, first end
Mounting Hole Type And Quantity:
2 threaded transversely through hub, first end
Outside Diameter:
1.353 inches
Nominallength:
0.500 inches
Tooth Form:
Standard
Pressure Angle:
14.5000 degrees
Distance Between Body Face And Protruding Hub End:
0.313 inches first end
Face Width:
0.188 inches
Bore Diameter:
0.188 inches both ends
Hub Style Designator:
Plain first end
Hub Diameter:
0.563 inches first end
Material:
Copper alloy
Material Specification:
Mil-b-895, 1/2 hard military specification single material response

NSN 3020-00-294-4642

Spur Gear - Page 2 of 2

Surface Treatment:

Tin

Style Designator:

Protruding hub

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-b-895 spec.

