NSN 3020-00-294-7662

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-294-7662 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 4.5000 inches **Teeth Quantity:** 27 **Bore Style:** W/ keyway both ends **Mounting Hole Thread Series Designator:** Unf axially through body, first end Mounting Hole Thready Qty Per Inch (tpi): 36 axially through body, first end **Hardness Rating:** 96.0 rockwell c and 102.0 rockwell c **Mounting Hole Thread Size:** 0.164 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 3 threaded axially through body, first end **Outside Diameter:** 4.875 inches **Tooth Form:** Standard **Pressure Angle:** 14.5000 degrees **Distance Between Body Face And Protruding Hub End:** 0.250 inches first end **Face Width:** 1.000 inches **Bore Diameter:** 2.502 inches both ends **Keyway Width:** 0.250 inches both ends **Distance From Bore Center To Keyway Bottom:** 1.376 inches both ends **Hub Style Designator:** Plain first end **Hub Diameter:**

Bolt Hole Circle Diameter:

3.250 inches first end

2.875 inches axially through body, first end

NSN 3020-00-294-7662

Spur Gear - Page 2 of 2



Special Features:
3.375 in. Diameter by 0.125 in. Deep recess cut in face of gear
Material:
Aluminum
Style Designator:
Protruding hub
Shelf Life:
N/a
Unit Of Measure:

No

Demilitarization:

Fiig:

A27300