NSN 3020-00-294-8076

Spur Gear - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/3020-00-294-8076 **Attachment Method:** Mounting hole **Pitch Diameter:** Between 4.9980 inches and 5.0000 inches **Teeth Quantity:** 320 **Mounting Hole Thread Series Designator:** Unc axially through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 32 axially through hub, first end **Mounting Hole Type And Quantity:** 3 threaded axially through hub, first end Nominallength: 0.687 inches **Tooth Form:** Standard **Pressure Angle:** 14.5000 degrees **Distance Between Body Face And Protruding Hub End:** 0.063 inches second end Face Width: 0.250 inches **Bore Diameter:** 0.375 inches both ends **Hub Style Designator:** Plain both ends **Hub Diameter:** 1.500 inches second end **Bolt Hole Circle Diameter:** 1.187 inches axially through hub, first end **Special Features:** One 0.089 in. Diameter hole drilled 3/16 in. From first hub end 1/8in. Deep

| One oloco in Biamon |
|---------------------|
| Style Designator: |
| Protruding hubs |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A27300 |
| |
| |