## NSN 3020-00-294-9068

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-294-9068

| Body Style:  |
|--|
| Webbed, solid                                      |
| Attachment Method:                                 |
| Mounting hole                                      |
| Pitch Diameter:                                    |
| 4.9290 inches                                      |
| Teeth Quantity:                                    |
| 69   |
| Bore Style:  |
| W/ keyway both ends                                |
| Hardness Rating:                                   |
| 60.0 rockwell c teeth                              |
| Mounting Hole Type And Quantity:                   |
| 4 plain axially through body, first end            |
| Outside Diameter:                                  |
| 5.040 inches                                       |
| Nominallength:                                     |
| 1.156 inches                                       |
| Tooth Form:  |
| Standard   |
| Pressure Angle:                                    |
| 20.0000 degrees                                    |
| Distance Between Body Face And Protruding Hub End: |
| 0.406 inches first end                             |
| Body Recess Depth:                                 |
| 0.332 inches first end                             |
| Face Width:  |
| 0.750 inches                                       |
| Bore Diameter:                                     |
| 0.990 inches both ends                             |
| Keyway Width:                                      |
| 0.189 inches both ends                             |
| Distance From Bore Center To Keyway Bottom:        |
| 0.590 inches both ends                             |
| Hub Style Designator:                              |
| Plain first end                                    |
| Hub Diameter:                                      |
| 1.375 inches first end                             |
| Mounting Hole Diameter:                            |
| 0.255 inches axially through body, first end       |
| Bolt Hole Circle Diameter:                         |
|  |

2.240 inches axially through body, first end

## NSN 3020-00-294-9068

Spur Gear - Page 2 of 2



Material:

Steel comp e9310

Material Specification:

Ams 6260 assn standard single material response

Style Designator:

Protruding hub, recessed body

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300