NSN 3020-00-298-7732

Spur Gear - Page 1 of 2

Body Style:



View Online at https://aerobasegroup.com/nsn/3020-00-298-7732

Webbed, solid
Spline Quantity:
31 both ends
Pitch Diameter:
3.1818 inches
Teeth Quantity:
35
Bore Style:
Involute spline both ends
Spline Pitch Diameter:
0.9688 inches both ends
Hardness Rating:
60.0 rockwell c teeth
Outside Diameter:
3.358 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.3800 inches first end
Face Width:
0.750 inches
Bore Diameter:
1.290 inches both ends
Hub Style Designator:
Plain both ends
Hub Diameter:
1.1500 inches both ends
Precision Classification:
Quality number 9
Material:
Steel comp e9310
Material Specification:
Fed standard 66 federal standard single material response
Surface Treatment:
Phosphate
Surface Treatment Specification:
Mil-std-171, finish no. 5.3.1.2 or 5.3.2.2 military standard single treatment response
Style Designator:
One protruding hub, one flush hub

NSN 3020-00-298-7732

Spur Gear - Page 2 of 2



N/a	
Unit Of	Measure:

Shelf Life:

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-std-171 spec.