## NSN 3020-00-299-1158

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-299-1158 **Body Style:** Spoked **Spline Quantity:** 24 both ends Pitch Diameter: 7.3330 inches **Teeth Quantity:** 44 **Bore Style:** Involute spline both ends **Spline Pitch Diameter:** 1.5000 inches both ends **Hardness Rating:** 60.0 rockwell c and 64.0 rockwell c **Outside Diameter:** 7.664 inches Nominallength: 0.990 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees Distance Between Body Face And Protruding Hub End: 0.250 inches first end **Face Width:** 0.500 inches **Bore Diameter:** 1.527 inches both ends **Hub Style Designator:** Plain both ends **Hub Diameter:** 1.810 inches second end Material: Steel **Material Specification:** Mil-s-13048, comp 8620 or 4320 military specification single material response **Surface Treatment:** 

Phosphate manganese

**Surface Treatment Specification:** 

Mil-p-16232 type m, class 2 military specification single treatment response

**Style Designator:** 

Protruding hubs

## NSN 3020-00-299-1158

Spur Gear - Page 2 of 2



Shelf Life:

No

Fiig:

A27300 Mil-std (military Standard):

Mil-s-13048 spec.