NSN 3020-00-299-2471

Sprocket Wheel - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-299-2471

Counterbore Diameter:
5.880 inches
Counterbore Depth:
0.063 inches
Outside Diameter:
20.640 inches
Overall Length:
0.750 inches
Bolt Circle Diameter:
8.000 inches
Bore Diameter:
Between 6.005 inches and 6.010 inches
Bore Length:
0.750 inches
Drilled Hole Diameter:
0.641 inches
Pitch Diameter:
20.062 inches
Securing Hole Quantity:
6
Face Width:
0.575 inches
Guide:
Not included
Design Form:
Plain
Bore Type:
Straight
Counterbore Feature:
Included
Counterbore Location:
Aa end
Hole Location:
On face of hub
Keying Facility:
Not included
Securing Method:
Drilled hole
Lightening Hole:
Not included
Protruding Hub Characteristic:
Plain

NSN 3020-00-299-2471 Sprocket Wheel - Page 2 of 2



Securing Location:
Both ends
Belt/chain/film Size For Which Designed:
Roller chain
Roller Chain Pitch Type For Which Designed:
Single pitch
Teeth Row Quantity:
1
Teeth Quantity Per Row:
63
Asa Standard Chain Number:
80
Hardness Rating Test Method:
Not rated
Bore Bearing:
Not included
Hub External Keyway:
Not included
Tooth Pitch:
1.000 inches
Hub End Outside Diameter And Location:
17.640 inches both ends
Distance From Outside Flange/rim To Hub End And Location:
0.088 inches both ends
Material:
Steel, qq-s-766, class 321, cond a
Material:
Steel comp 321
Material Specification:
Qq-s-766, class 321, cond a federal specification single material response
Style Designator:
Plain
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T353-c