## NSN 3020-00-299-2484



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-299-2484 **Body Style:** Plain, solid Pitch Diameter: 1.5000 inches **Teeth Quantity:** 11 **Bore Style:** W/ 2 keyways both ends **Hardness Rating:** 54.0 rockwell c and 59.0 rockwell c teeth **Outside Diameter:** 1.750 inches Nominallength: 1.062 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.062 inches second end Face Width: 0.750 inches **Bore Diameter:** 0.750 inches both ends **Keyway Width:** 0.189 inches both ends **Distance From Bore Center To Keyway Bottom:** 0.460 inches both ends **Hub Style Designator:** Plain both ends **Hub Diameter:** 1.188 inches between body and flange Material:

Steel comp 4615

**Material Specification:** 

Mil-b-8668 class 4615 military specification single material response

**Style Designator:** 

Protruding hubs

Shelf Life:

N/a

**Unit Of Measure:** 

## NSN 3020-00-299-2484

Spur Gear - Page 2 of 2



Demi			

Yes - demil/mli

Fiig:

A27300

Mil-std (military Standard):

Mil-b-8668 spec.