NSN 3020-00-302-6350

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-302-6350

Body Style:
Plain, solid
Pitch Diameter:
Between 1.4990 inches and 1.5000 inches
Teeth Quantity:
48
Bore Style:
Plain both ends
Backlash Designation:
Grade c
Outside Diameter:
1.5615 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.375 inches first end
Face Width:
0.375 inches
Bore Diameter:
0.3753 inches both ends
Hub Style Designator:
Plain first end
Hub Diameter:
0.7500 inches first end
Precision Classification:
Quality number 10
Special Features:
1 0.190 in. Diameter threaded hole on hub for positioning
Material:
Steel comp 303
Material Specification:
Qq-s-764, cond a-canceled federal specification single material response
Surface Treatment:
Passivate
Surface Treatment Specification:
Qq-p-35, type 1 federal specification single treatment response
Style Designator:
Protruding hub
Shelf Life:
N/a

NSN 3020-00-302-6350

Spur Gear - Page 2 of 2



	Of			

--

Demilitarization:

No

Fiig:

A27300