## NSN 3020-00-320-5204

Spur Gear - Page 1 of 2

**Body Style:** 

Protruding hubs



View Online at https://aerobasegroup.com/nsn/3020-00-320-5204

Webbed, offset, solid
Attachment Method:
Mounting hole
Pitch Diameter:
1.7917 inches
Teeth Quantity:
43
Bore Style:
Plain both ends
Features Provided:
Casehardened
Mounting Hole Type And Quantity:
8 counterbored axially through body, second end
Outside Diameter:
1.8685 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.035 inches first end
Face Width:
0.135 inches
Bore Diameter:
0.6998 inches both ends
Hub Style Designator:
Plain both ends
Hub Diameter:
1.640 inches both ends
Precision Classification:
Quality number 9
Mounting Hole Diameter:
0.250 inches axially through body, second end
Bolt Hole Circle Diameter:
1.160 inches axially through body, second end
Material:
Steel
Material Specification:
66, aisi/sae 4340 federal standard single material response
Style Designator:

## NSN 3020-00-320-5204

Spur Gear - Page 2 of 2



_					
c	hο	JIF.		.ife:	
J			_	.II C.	

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300