NSN 3020-00-320-8482

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-320-8482

Body Style:
Plain, solid
Attachment Method:
Mounting hole
End Application:
An/fps90, mps14, fps6
Pitch Diameter:
5.0000 inches
Teeth Quantity:
60
Bore Style:
W/ keyway both ends
Hardness Rating:
23.0 rockwell c and 32.0 rockwell c
Mounting Hole Type And Quantity:
4 threaded transversely through hub, first end
Outside Diameter:
5.164 inches
Nominallength:
2.750 inches
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
1.562 inches first end
Face Width:
0.500 inches
Bore Diameter:
1.250 inches both ends
Keyway Width:
0.250 inches both ends
Distance From Bore Center To Keyway Bottom:
0.761 inches both ends
Hub Style Designator:
Plain both ends
Hub Diameter:
2.000 inches second end
Special Features:
T.O31-P32-FPS6
Material:
Steel comp 4140
Material Specification:
66 federal standard single material response and aisi/sae 4140 assn standard single material response

NSN 3020-00-320-8482

Spur Gear - Page 2 of 2



Ctv/la	n Da	eian	ator:
OLYN	- 00	əiyii	atoi.

Protruding hubs

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300