## NSN 3020-00-324-3429

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-324-3429

| Body Style:   |
|---|
| Webbed, offset, solid   |
| Spline Quantity:  |
| 14 both ends  |
| Pitch Diameter:   |
| 3.2500 inches   |
| Teeth Quantity:   |
| 52  |
| Bore Style:   |
| Involute spline both ends                                       |
| Spline Pitch Diameter:  |
| 0.5833 inches both ends   |
| Outside Diameter:   |
| 3.375 inches  |
| Tooth Form:   |
| Standard  |
| Pressure Angle:   |
| 20.0000 degrees   |
| Distance Between Body Face And Protruding Hub End:              |
| 0.781 inches first end  |
| Body Recess Depth:  |
| 0.1870 inches second end  |
| Face Width:   |
| 0.687 inches  |
| Bore Diameter:  |
| 0.599 inches both ends  |
| Hub Style Designator:   |
| Plain first end   |
| Hub Diameter:   |
| 1.0000 inches first end   |
| Precision Classification:                                       |
| Quality number 11   |
| Special Features:   |
| Counterbore on second end, 0.657 in. Diameter 0.719 in. Deep $$ |
| Material:   |
| Steel   |
| Style Designator:   |
| Protruding hub, recessed body                                   |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |

--

## NSN 3020-00-324-3429

Spur Gear - Page 2 of 2



Demilitarization:

No

Fiig:

A27300