## NSN 3020-00-326-4787

Sprocket Wheel - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/3020-00-326-4787 **Outside Diameter:** 1.260 inches **Overall Length:** 0.750 inches **Keyway Width:** 0.125 inches **Thread Size:** 1/4-20 **Bore Diameter:** Between 0.500 inches and 0.502 inches **Bore Length:** 0.750 inches **Distance From Center Of Bore To Bottom Of Keyway:** 0.313 inches **Pitch Diameter:** 1.100 inches **Securing Hole Quantity:** 2 Face Width: Between 0.158 inches and 0.178 inches Guide: Not included **Design Form:** Plain **Bore Type:** Straight **Counterbore Feature:** Not included **Lubrication Mode:** No visible means **Hole Location:** Located 135 degrees and 225 degrees from keyway **Keying Facility:** Included **Keying Facility Type:** Keyway **Securing Method:** Threaded hole **Lightening Hole:** 

Not included

Grooved

**Protruding Hub Characteristic:** 

## **NSN 3020-00-326-4787** Sprocket Wheel - Page 2 of 3



Groove/step Location:
Aa end
Securing Location:
Aa end
Belt/chain/film Size For Which Designed:
Roller chain
Roller Chain Pitch Type For Which Designed:
Single pitch
Teeth Row Quantity:
1
Teeth Quantity Per Row:
9
Asa Standard Chain Number:
35
Hardness Rating Test Method:
Not rated
Bore Bearing:
Not included
Hub External Keyway:
Not included
Tooth Pitch:
0.375 inches
Hub End Outside Diameter And Location:
0.875 inches aa end
Distance From Outside Flange/rim To Hub End And Location:
0.575 inches both ends
First End Groove Diameter And Location:
0.688 inches aa end
First End Groove Width And Location:
0.190 inches aa end and 0.210 inches aa end
First End Length From Groove To End And Location:
0.375 inches aa end
Material:
Steel
Material:
Steel
Quantity:
1
Style Designator:
Plain
Shelf Life:
N/a
Unit Of Measure:

## NSN 3020-00-326-4787

Sprocket Wheel - Page 3 of 3



Demilitarization:

No

Fiig:

Т353-с