NSN 3020-00-326-4787

Sprocket Wheel - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/3020-00-326-4787

Outside Diameter:

1.260 inches

Overall Length:

0.750 inches

Keyway Width:

0.125 inches

Thread Size:

1/4-20

Bore Diameter:

Between 0.500 inches and 0.502 inches

Bore Length:

0.750 inches

Distance From Center Of Bore To Bottom Of Keyway:

0.313 inches

Pitch Diameter:

1.100 inches

Securing Hole Quantity:

2

Face Width:

Between 0.158 inches and 0.178 inches

Guide:

Not included

Design Form:

Plain

Bore Type:

Straight

Counterbore Feature:

Not included

Lubrication Mode:

No visible means

Hole Location:

Located 135 degrees and 225 degrees from keyway

Keying Facility:

Included

Keying Facility Type:

Keyway

Securing Method:

Threaded hole

Lightening Hole:

Not included

Protruding Hub Characteristic:

Grooved

NSN 3020-00-326-4787

Sprocket Wheel - Page 2 of 3

Aero	Base
	Group

Groove/step Location:	
Aa end	
Securing Location:	
Aa end	
Belt/chain/film Size For Which Designed:	
Roller chain	
Roller Chain Pitch Type For Which Designed:	
Single pitch	
Teeth Row Quantity:	
1	
Leeth Quantity Per Row:	
9	
asa Standard Chain Number:	
35	
Hardness Rating Test Method:	
Not rated	
Bore Bearing: Not included	
Hub External Keyway:	
Not included	
Tooth Pitch:	
0.375 inches	
Hub End Outside Diameter And Location:	
0.875 inches aa end	
Distance From Outside Flange/rim To Hub End And Location:	
0.575 inches both ends	
First End Groove Diameter And Location:	
0.688 inches aa end	
First End Groove Width And Location:	
0.190 inches aa end and 0.210 inches aa end	
First End Length From Groove To End And Location:	
0.375 inches aa end	
Material:	
Steel	
Material:	
Steel	
Quantity:	
1	
Style Designator:	
Plain	
Shelf Life:	
N/a	
Unit Of Measure:	

NSN 3020-00-326-4787

Sprocket Wheel - Page 3 of 3

Demilitarization:

No

Fiig:

Т353-с

