## NSN 3020-00-326-7501



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-326-7501 **Body Style:** Webbed, offset, solid **Spline Quantity:** 16 both ends Pitch Diameter: 3.5000 inches **Teeth Quantity:** 35 **Bore Style:** Involute spline both ends **Spline Pitch Diameter:** 0.8000 inches both ends Hardness Rating: 60.0 rockwell c **Outside Diameter:** 3.698 inches Nominallength: 2.791 inches **Tooth Form:** Standard Pressure Angle: 25.0000 degrees **Distance Between Body Face And Protruding Hub End:** 1.386 inches first end **Face Width:** 0.500 inches **Bore Diameter:** 0.820 inches both ends **Hub Style Designator:** 1 step first end **End Length:** 1.386 inches first end **End Diameter:** 1.078 inches first end First Step Length: 0.619 inches first end First Step Diameter: 1.181 inches first end

Material:

Steel comp e9310

**Material Specification:** 

Ams 6260 assn standard single material response

## NSN 3020-00-326-7501

Spur Gear - Page 2 of 2



Sty					

Protruding hubs

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A27300