NSN 3020-00-328-8192



Worm Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-328-8192 **Spline Quantity:** 19 both ends Pitch Diameter: 1.1600 inches Face Type: Straight **Bore Style:** Involute spline both ends **Spline Pitch Diameter:** 0.3958 inches both ends **Hardness Rating:** 29.0 rockwell c and 32.0 rockwell c **Criticality Code Justification:** Feat **Outside Diameter:** 1.268 inches **Thread Form Quantity: Thread Form Direction:** Right-hand **Pressure Angle:** 25.0000 degrees **Helix Angle:** 11.9425 degrees **Distance Between Body Face And Protruding Hub End:** 0.613 inches both ends **Face Width:** 1.000 inches **Bore Diameter:** 0.449 inches both ends **Hub Style Designator:** 2 steps both ends **End Length:** 0.344 inches both ends **End Diameter:** 0.624 inches both ends First Step Length: 0.050 inches both ends First Step Diameter:

Second Step Length:

0.810 inches both ends

0.219 inches both ends

NSN 3020-00-328-8192

Worm Gear - Page 2 of 2



Second Step Diameter:
0.640 inches both ends
Special Features:
Weapon system essential
Material:
Steel
Material Specification:
Aams 6470 national specification all material responses
Surface Treatment:
Lubricant
Surface Treatment Specification:
Mil-c-16173, grade 1 military specification single treatment response
Style Designator:
Protruding hubs
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A27300
Mil-std (military Standard):
Mil-c-16173 spec.