## NSN 3020-00-332-4780

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-332-4780

| Body Style:  |
|--|
| Plain, solid                                       |
| Attachment Method:                                 |
| Mounting hole                                      |
| Pitch Diameter:                                    |
| 5.6250 inches                                      |
| Teeth Quantity:                                    |
| 360  |
| Bore Style:  |
| W/counterbore both ends                            |
| Mounting Hole Type And Quantity:                   |
| 6 countersunk axially through body, first end      |
| Outside Diameter:                                  |
| 5.656 inches                                       |
| Nominallength:                                     |
| 0.661 inches                                       |
| Tooth Form:  |
| Standard   |
| Pressure Angle:                                    |
| 14.5000 degrees                                    |
| Distance Between Body Face And Protruding Hub End: |
| 0.505 inches first end                             |
| Face Width:  |
| 0.156 inches                                       |
| Bore Diameter:                                     |
| 3.875 inches first end                             |
| Counterbore Depth:                                 |
| 0.380 inches second end                            |
| Counterbore Diameter:                              |
| 5.531 inches second end                            |
| Hub Style Designator:                              |
| 2 steps first end                                  |
| End Length:  |
| 0.193 inches first end                             |
| End Diameter:                                      |
| 4.499 inches first end                             |
| First Step Length:                                 |
| 0.088 inches first end                             |
| First Step Diameter:                               |
| 4.375 inches first end                             |
| Second Step Length:                                |

0.124 inches first end

## NSN 3020-00-332-4780

Spur Gear - Page 2 of 2

**Fiig:** A27300



| Second Step Diameter:                                   |
|---|
| 5.312 inches first end                                  |
| Mounting Hole Diameter:                                 |
| 0.166 inches axially through body, first end            |
| Material:   |
| Aluminum alloy  |
| Material Specification:                                 |
| Qq-a-268 federal specification single material response |
| Style Designator:                                       |
| Protruding hub  |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |
|   |
| Demilitarization:                                       |
| No  |