NSN 3020-00-332-4780

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-332-4780

Body Style:
Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
5.6250 inches
Teeth Quantity:
360
Bore Style:
W/counterbore both ends
Mounting Hole Type And Quantity:
6 countersunk axially through body, first end
Outside Diameter:
5.656 inches
Nominallength:
0.661 inches
Tooth Form:
Standard
Pressure Angle:
14.5000 degrees
Distance Between Body Face And Protruding Hub End:
0.505 inches first end
Face Width:
0.156 inches
Bore Diameter:
3.875 inches first end
Counterbore Depth:
0.380 inches second end
Counterbore Diameter:
5.531 inches second end
Hub Style Designator:
2 steps first end
End Length:
0.193 inches first end
End Diameter:
4.499 inches first end
First Step Length:
0.088 inches first end
First Step Diameter:
4.375 inches first end
Second Step Length:

0.124 inches first end

NSN 3020-00-332-4780

Spur Gear - Page 2 of 2

Fiig: A27300



Second Step Diameter:
5.312 inches first end
Mounting Hole Diameter:
0.166 inches axially through body, first end
Material:
Aluminum alloy
Material Specification:
Qq-a-268 federal specification single material response
Style Designator:
Protruding hub
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No