NSN 3020-00-336-9100

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-336-9100

Body Style:				
Plain, solid				
Attachment Method:				
Mounting hole				
Pitch Diameter:				
0.6250 inches				
Teeth Quantity:				
40				
Bore Style:				
Plain both ends				
Mounting Hole Thread Size:				
0.125 inches transversely through hub, first end				
Mounting Hole Type And Quantity:				
2 threaded transversely through hub, first end				
Outside Diameter:				
0.6562 inches				
Tooth Form:				
Standard				
Pressure Angle:				
20.0000 degrees				
Distance Between Body Face And Protruding Hub End:				
0.4062 inches first end				
Bore Diameter:				
0.2820 inches both ends				
Hub Style Designator:				
3 steps first end				
End Length:				
0.0240 inches first end				
End Diameter:				
0.4050 inches first end				
0.4030 inches instend				
First Step Length:				
First Step Length:				
First Step Length: 0.2180 inches first end				
First Step Length: 0.2180 inches first end First Step Diameter:				
First Step Length: 0.2180 inches first end First Step Diameter: 0.7480 inches first end				
First Step Length: 0.2180 inches first end First Step Diameter: 0.7480 inches first end Second Step Length:				
First Step Length: 0.2180 inches first end First Step Diameter: 0.7480 inches first end Second Step Length: 0.0930 inches first end				
First Step Length: 0.2180 inches first end First Step Diameter: 0.7480 inches first end Second Step Length: 0.0930 inches first end Second Step Diameter:				
First Step Length: 0.2180 inches first end First Step Diameter: 0.7480 inches first end Second Step Length: 0.0930 inches first end Second Step Diameter: 0.6720 inches first end				

0.5430 inches first end

NSN 3020-00-336-9100

Spur Gear - Page 2 of 2



NЛ	ate	ria	ı.
IVI	ale	ı ıa	I.

Steel

Style Designator:

Protruding hub

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300