NSN 3020-00-341-2078

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-341-2078 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 0.5940 inches **Teeth Quantity:** 19 **Bore Style:** Plain both ends **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 32 transversely through hub, first end **Hardness Rating:** 25.0 rockwell c **Mounting Hole Thread Size:** 0.138 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 1 threaded transversely through hub, first end **Outside Diameter:** 0.655 inches Nominallength: 0.500 inches **Tooth Form:** Standard **Pressure Angle:** 14.5000 degrees Distance Between Body Face And Protruding Hub End: 0.313 inches first end **Face Width:** 0.187 inches **Bore Diameter:** 0.250 inches both ends **Hub Style Designator:** Pinned first end **Hub Diameter:** 0.406 inches first end Material: Steel comp 416

Material Specification:

Qq-s-763, class 6, type a federal specification single material response

NSN 3020-00-341-2078

Spur Gear - Page 2 of 2



_	•		_	-		
ن	ırfa	\sim	I rc	nter	nor	٠.

Passivate

Style Designator:

Protruding hub

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300