NSN 3020-00-341-9844

Spur Antibacklash Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-341-9844

Pitch Diameter:
Between 0.6289 inches and 0.6299 inches
Teeth Quantity:
80
Outside Diameter:
0.644 inches
Nominallength:
0.536 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.098 inches second end
Hub Style Designator:
2 steps both ends
End Length:
0.058 inches second end
Precision Classification:
Quality number 10 or quality number 11
End Diameter:
0.046 inches second end
First Step Length:
0.046 inches first end
First Step Diameter:
0.095 inches first end
Second Step Length:
0.154 inches first end
Second Step Diameter:
0.337 inches first end
Special Features:
Additional gear is third step of first end, pitch diameter 0.3218 inch , 0.3228 inch , 41 teeth, 20 degree pressure angle
Material:
Steel comp 416
Material Specification:
Qq-s-763, class 6, type c federal specification single material response
Style Designator:
Peripheral face, hubless
Shelf Life:
N/a
Unit Of Measure:

NSN 3020-00-341-9844

Spur Antibacklash Gear - Page 2 of 2



Demilitarization:

No

Fiig:

A27300