NSN 3020-00-347-8641



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-347-8641 **Body Style:** Webbed, with lightening holes Pitch Diameter: 1.9500 inches **Teeth Quantity:** 39 **Bore Style:** W/ 2 keyways both ends **Backlash Designation:** Grade a Hardness Rating: 89.0 rockwell superficial 15-n and 91.0 rockwell superficial 15-n **Outside Diameter:** 2.047 inches Nominallength: 0.375 inches **Tooth Form:** Standard Pressure Angle: 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.112 inches first end **Face Width:** 0.200 inches **Bore Diameter:** 0.500 inches both ends **Keyway Width:** 0.127 inches both ends **Distance From Bore Center To Keyway Bottom:** 0.312 inches both ends **Hub Style Designator:** Plain both ends **Hub Diameter:** 0.812 inches both ends Material: Steel comp 4615 **Material Specification:** Mil-s-7493 military specification single material response **Style Designator:** Protruding hubs

N/a

Shelf Life:

NSN 3020-00-347-8641

Spur Gear - Page 2 of 2



	ι	Jn	it	Of	Measure:
--	---	----	----	----	----------

--

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-s-7493 spec.