NSN 3020-00-350-0210

Sprocket Wheel - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-350-0210

Outside Diameter:

Between 1.990 inches and 1.992 inches

Thread Size:

10-32

Bore Diameter:

Between 0.499 inches and 0.500 inches

Bore Length:

1.375 inches

Pitch Diameter:

Between 1.879 inches and 1.881 inches

Securing Hole Quantity:

2

Face Width:

1.375 inches

Design Form:

Webbed

_ _

Bore Type:

Straight

Counterbore Feature:

Not included

Hole Location:

Through center of sprocket between teeth rows 120 degrees apart

Keying Facility:

Not included

Securing Method:

Threaded hole

Lightening Hole:

Not included

Teeth Row Quantity:

2

Center To Center Distance Between Teeth Rows:

1.101 inches

Teeth Quantity Per Row:

32

Hardness Rating Test Method:

Not rated

Bore Bearing:

Not included

Hub End Outside Diameter And Location:

 $0.750 \ \text{inches}$ aa end and $0.630 \ \text{inches}$ bb end

Material:

Steel, 14-1-321-828, bell and howell

NSN 3020-00-350-0210

Sprocket Wheel - Page 2 of 2

Material:

Steel, 14-1-321-828, bell and howell

Style Designator:

Webbed or spoked

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

T353-c

