NSN 3020-00-350-1891

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-350-1891

| Body Style: |
|---|
| Webbed, solid |
| Pitch Diameter: |
| 4.9000 inches |
| Teeth Quantity: |
| 49 |
| Bore Style: |
| W/ keyway both ends |
| Hardness Rating: |
| 33.0 rockwell c and 38.0 rockwell c |
| Outside Diameter: |
| 5.098 inches |
| Tooth Form: |
| Standard |
| Pressure Angle: |
| 20.0000 degrees |
| Distance Between Body Face And Protruding Hub End: |
| 0.9000 inches first end |
| Distance Between Body Face And Recessed Hub End: |
| 0.1200 inches second end |
| Face Width: |
| 0.750 inches |
| Bore Diameter: |
| 0.503 inches both ends |
| Keyway Width: |
| 0.188 inches first end |
| Distance From Bore Center To Keyway Bottom: |
| 0.566 inches first end |
| Hub Style Designator: |
| Plain both ends |
| Hub Diameter: |
| 1.2600 inches both ends |
| Special Features: |
| Counterbore both end1st end diameter 0.720in. 1.052in.Dp, 2nd counterbore 1.500 in.Dia, 0.300 in.Dp |
| Material: |
| Steel comp 4140 |
| Material Specification: |
| 66 federal standard single material response |
| Style Designator: |
| One protruding hub, one recessed hub |
| Shelf Life: |

N/a

NSN 3020-00-350-1891 Spur Gear - Page 2 of 2



| | 1 | :. | ~ | 84 | | | | |
|---|----|----|----|-----|----|----|------|---|
| ι | JN | IT | UΤ | IVI | ea | Sι | ire: | • |

Demilitarization:

No

Fiig:

A27300