NSN 3020-00-350-6160



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-350-6160 **Body Style:** Webbed, offset, solid **Spline Quantity:** 16 both ends Pitch Diameter: 10.4000 inches **Teeth Quantity:** 52 Hardness Rating: 58.0 rockwell c and 65.0 rockwell c **Outside Diameter:** 10.680 inches Nominallength: 3.0312 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 1.718 inches first end **Distance Between Body Face And Recessed Hub End:** 0.687 inches second end **Face Width:** 1.3125 inches **Bore Diameter:** 3.255 inches both ends **Hub Style Designator:** Plain second end **Hub Diameter:** 7.562 inches second end **End Length:** 1.093 inches first end

End Diameter: 3.687 inches first end First Step Length: 0.624 inches first end First Step Diameter: 4.375 inches first end Material:

Steel comp 8620h

Material Specification:

66, aisi/sae 8620h federal standard single material response

NSN 3020-00-350-6160

Spur Gear - Page 2 of 2



Sty	عا	D	26	ia	n	a	ŧ٥	r	
JLY	ı	יש	ငၥ	щ		а	ιv	ш	

One protruding hub, one recessed hub

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

Yes - demil/mli

Fiig:

A27300