

View Online at <https://aerobasegroup.com/nsn/3020-00-350-6232>

Groove Depth:

0.688 inches

Groove Width:

Between 0.654 inches and 0.656 inches

Outside Diameter:

Between 8.032 inches and 8.048 inches

Overall Length:

3.500 inches

Keyway Width:

Between 0.188 inches and 0.193 inches

Bore Length:

1.500 inches

Distance From Center Of Bore To Bottom Of Keyway:

0.661 inches

V Groove Angle In Deg:

36.0

Pitch Diameter:

7.540 inches

Taper Bore Major Diameter:

Between 1.120 inches and 1.122 inches

Taper Bore Minor Diameter:

0.9345 inches

Material And Location:

Iron, cast

Face Width:

2.500 inches

Design Form:

Spoked

Bore Type:

Tapered

Bearings:

Not included

Taper Major Diameter Location:

Aa end

Groove Quantity:

3

Counterbore Feature:

Not included

Keying Facility:

Included

Keying Facility Type:

Keyway

Split Hub Feature:

Not included

Web/spoke Relationship To Face Centerline:

Offset

Lightening Hole:

Not included

Integral Cooling Vane:

Not included

Groove Shape:

V

Standard V-belt Section Designation For Which Designed:

B

Bore Feature:

Included

Hub End Outside Diameter And Location:

2.000 inches both ends

Distance From Outside Flange/rim To Hub End And Location:

2.000 inches aa end and 1.000 inches bb end

Quantity:

1

Style Designator:

Webbed or spoked

Fsc Application Data:

Fan drive, engine, nonaircraft

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

T353-a