

View Online at <https://aerobasegroup.com/nsn/3020-00-351-9008>

Counterbore Diameter:

Between 0.3760 inches and 0.3775 inches

Counterbore Depth:

Between 0.4843 inches and 0.4999 inches

Groove Depth:

0.303 inches

Groove Width:

0.218 inches

Outside Diameter:

Between 1.982 inches and 1.990 inches

Overall Length:

1.351 inches

Bore Diameter:

0.312 inches

Bore Length:

0.8667 inches

V Groove Angle In Deg:

13.0

Pitch Diameter:

1.687 inches

Furnished Items And Quantity:

N/a

Material And Location:

Steel, qq-s-763, class 303, cond b

Face Width:

0.312 inches

Design Form:

Plain

Bore Type:

Straight

Bearings:

Not included

Groove Quantity:

1

Counterbore Feature:

Included

Counterbore Location:

Aa end

Keying Facility:

Not included

Securing Method:

6 teeth secured, ea tooth 0.062 in. Plus 0.002, minus 0.000 in. W by 0.046 in. Plus 0.005, minus 0.000 in. Lg and equally spaced 0.125 in.

Plus 0.005, minus 0.000 apart

Web/spoke Relationship To Face Centerline:

Not offset

Lightening Hole:

Not included

Integral Cooling Vane:

Not included

Groove Shape:

V

Bore Feature:

Included

Protruding Hub Characteristic:

Grooved

Securing Location:

Aa end

Hub End Outside Diameter And Location:

0.4995 inches both ends and 0.5000 inches both ends

Distance From Outside Flange/rim To Hub End And Location:

1.039 inches both ends

First End Groove Diameter And Location:

0.4800 inches both ends

First End Groove Width And Location:

0.0250 inches both ends

First End Length From Groove To End And Location:

1.004 inches both ends

Surface Treatment:

Passivate

Style Designator:

Plain

Surface Treatment:

Passivated

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T353-a