NSN 3020-00-353-8262

Helical Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-353-8262

| Body Style: |
|---|
| Webbed, with lightening holes |
| Pitch Diameter: |
| 13.4000 inches |
| Teeth Quantity: |
| 67 |
| Bore Style: |
| Plain both ends |
| Hardness Rating: |
| 8.0 rockwell c |
| Outside Diameter: |
| 13.6857 inches |
| Teeth Type: |
| Single helix |
| Tooth Form: |
| Standard |
| Tooth Direction: |
| Right |
| Pressure Angle: |
| 20.0000 degrees |
| Helix Angle: |
| 14.9167 degrees |
| Distance Between Body Face And Protruding Hub End: |
| 1.375 inches both ends |
| Face Width: |
| 2.500 inches |
| Bore Diameter: |
| 3.3475 inches first end |
| Hub Style Designator: |
| 1 step first end |
| End Length: |
| 1.625 inches first end |
| End Diameter: |
| 5.3715 inches first end |
| First Step Length: |
| 0.750 inches first end |
| First Step Diameter: |
| 6.500 inches first end |
| Special Features: |
| Counterweight and rivets, match mark fig 4 152 degrees 34 min from cneter line of middle wt hole ccw, hub drilled for lubrication, four |
| 0.500-20 thd holes on face of hub 2nd end, one 0.125 in. Npt hole 22 degrees 30min cw from center line, one groove 4.870 in. Diameter |

Steel comp 1035

Material:

0.500 in. W on @hub 2nd end

NSN 3020-00-353-8262

Helical Gear - Page 2 of 2



66 federal standard single material response and aisi/sae 1035 assn standard single material response

Style Designator:

Protruding hubs

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

No

Fiig:

A27300