NSN 3020-00-358-5809

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-358-5809

Body Style: Plain, solid **Attachment Method:** Mounting hole **Pitch Diameter:** 2.8750 inches **Teeth Quantity:** 230 **Bore Style:** Plain both ends Mounting Hole Thread Series Designator: Uns axially through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 96 axially through hub, first end Mounting Hole Thread Size: 0.047 inches axially through hub, first end Mounting Hole Type And Quantity: 4 threaded axially through hub, first end **Outside Diameter:** 2.900 inches **Tooth Form:** Standard Pressure Angle: 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.399 inches first end Face Width: 0.100 inches **Bore Diameter:** 2.378 inches both ends Hub Style Designator: 1 step first end End Length: 0.375 inches first end End Diameter: 2.575 inches first end First Step Length: 0.024 inches first end **First Step Diameter:** 2.675 inches first end **Bolt Hole Circle Diameter:** 2.475 inches axially through hub, first end

NSN 3020-00-358-5809

Spur Gear - Page 2 of 2



Special Features:

Mtg holes spaced 90 degrees apart

Material:

Aluminum alloy 6061

Material Specification:

Qq-a-250/11, t6 federal specification single material response

Style Designator:

Protruding hub

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A27300